

# Docker Compose Example 1 (Lazy)

```
version: "3"
services:
  lazytainer:
    container_name: lazytainer
    image: ghcr.io/vmorganp/lazytainer:master
    environment:
      - PORT=8081          # comma separated list of ports...or just the one
      - LABEL=lazytainer   # value of lazytainer.marker for other containers that lazytainer
checks
      - TIMEOUT=15        # OPTIONAL number of seconds to let container idle
      - MINPACKETTHRESH=10 # OPTIONAL number of packets that must be recieved to
keepalive/start container
      - POLLRATE=1        # OPTIONAL number of seconds to sleep between polls
      - VERBOSE=true      # probably set this to false unless you're debugging or doing the
initial demo
    ports:
      - 8081:8080
    volumes:
      - /var/run/docker.sock:/var/run/docker.sock:ro

  youtube:
    container_name: youtube
    image: modenaf360/youtube-dl-nas
    environment:
      - MY_ID=dbtech
      - MY_PW=password
    volumes:
      - /home/docker/YouTube:/downfolder
    network_mode: service:lazytainer
    depends_on:
      - lazytainer # wait for lazytainer to start before starting
    labels:
```

- "lazytainer.marker=lazytainer" # required label to make it work

---

Revision #1

Created 6 September 2022 00:00:11 by DB T3CH

Updated 6 September 2022 00:01:10 by DB T3CH