

Docker Compose Example 3 (Lazy3)

```
version: "3"
services:
  lazytainer3:
    container_name: lazytainer3
    image: ghcr.io/vmorganp/lazytainer:master
    environment:
      - PORT=8080, 3000          # comma separated list of ports...or just the one
      - LABEL=lazytainer3      # value of lazytainer.marker for other containers that
    lazytainer checks
      - TIMEOUT=15             # OPTIONAL number of seconds to let container idle
      - MINPACKETTHRESH=10     # OPTIONAL number of packets that must be recieved to
    keepalive/start container
      - POLLRATE=1             # OPTIONAL number of seconds to sleep between polls
      - VERBOSE=true           # probably set this to false unless you're debugging or doing the
    initial demo
      ports:
        - 8080: 8080
        - 3000: 3000
      volumes:
        - /var/run/docker.sock: /var/run/docker.sock:ro

  youtube:
    container_name: youtube3
    image: modenaf360/youtube-dl-nas
    environment:
      - MY_ID=dbtech
      - MY_PW=password
    volumes:
      - /home/docker/YouTube: /downfolder
    network_mode: service: lazytainer3
    depends_on:
      - lazytainer3 # wait for lazytainer to start before starting
```

labels:

- "lazytainer.marker=lazytainer3" # required label to make it work

taisun:

image: linuxserver/taisun

container_name: taisun3

restart: unless-stopped

network_mode: service: lazytainer3

depends_on:

- lazytainer3

labels:

- "lazytainer.marker=lazytainer3"

volumes:

- /var/run/docker.sock: /var/run/docker.sock

Revision #1

Created 6 September 2022 00:01:47 by DB T3CH

Updated 6 September 2022 00:02:06 by DB T3CH