

# NextCloud Docker Compose

```
---
version: "2"
services:
  app:
    depends_on:
      - db
    environment:
      - MYSQL_PASSWORD=
      - MYSQL_DATABASE=nextcloud
      - MYSQL_USER=nextcloud
      - MYSQL_HOST=db
    image: nextcloud
    links:
      - db
    ports:
      - "8080:80"
    restart: always
    volumes:
      - "/path/to/nextcloud: /var/www/html"
      - "/path/to/apps: /var/www/html/custom_apps"
      - "/path/to/config: /var/www/html/config"
      - "/path/to/data: /var/www/html/data"
      - "/path/to/theme: /var/www/html/themes/<YOUR_CUSTOM_THEME>"
  db:
    command: "--transaction-isolation=READ- COMMITTED --binlog-format=ROW"
    environment:
      - MYSQL_ROOT_PASSWORD=
      - MYSQL_PASSWORD=
      - MYSQL_DATABASE=nextcloud
      - MYSQL_USER=nextcloud
    image: "mariadb:10.5"
    restart: always
    volumes:
      - "/path/to/db: /var/lib/mysql"
```

Revision #2

Created 23 August 2022 23:50:48 by DB T3CH

Updated 29 August 2022 23:40:44 by DB T3CH